Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	806	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L2	3	(("4973174") or ("6137293") or ("5365179")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/13 17:39
L3	427	scattering adj matrix	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L4	14776	dielectric with loss	US-PGPUB; USPAT	OR .	ON	2005/05/13 17:39
L5	33	L3 and L4	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L6	22	L5 and port	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L7	14	L6 and @ad<="20010212"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L8	33	L3 and L4	US-PGPUB; USPAT	OR .	ON	2005/05/13 17:39
L9	63575	transmission adj line	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L10	11620	L9 and model\$4	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L11	714	L4 and L10	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L12	63	L3 and L10	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L13	11	L11 and L12	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L14	5	L13 and @ad<="20010212"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L15	471	703/14.ccor.	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L16	. 301	703/13.ccor.	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L17	80	703/18.ccor.	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L18	22	L5 and port	US-PGPUB; USPAT	OR	ON	2005/05/13 17:39
L19	7	(("5946482") or ("5610833") or ("5283462") or ("5379231") or ("6460165") or ("5729076") or ("4689586")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/13 17:39
L20	13	("5946482").URPN.	USPAT	OR	ON	2005/05/13 17:39
L.21	11	("5047970" "5798938" "5815687" "5825673" "5828579" "5946482" "5949689" "5999714" "6040716" "6344759" "6363515").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 17:39

		Results
10.	((((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(scattering matrix)) and transmission line) and port) and reflection coefficient) and dielectric [All Sources(- All Sciences -)]	10
9.	(((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(scattering matrix)) and transmission line) and port) and reflection coefficient [All Sources(- All Sciences -)]	24
8.	((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(scattering matrix)) and transmission line) and port [All Sources(- All Sciences -)]	52
7.	(pub-date > 1959 and pub-date < 2002 and FULL-TEXT(scattering matrix)) and transmission line [All Sources(- All Sciences -)]	107
6.	pub-date > 1959 and pub-date < 2002 and FULL-TEXT(scattering matrix) [All Sources(- All Sciences -)]	4781
5.	((((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(dielectric loss)) and scattering matrix) and transmission line) and reflection) and port [All Sources(- All Sciences -)]	13
4.	(((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(dielectric loss)) and scattering matrix) and transmission line) and reflection [All Sources(- All Sciences -)]	14
3.	((pub-date > 1959 and pub-date < 2002 and FULL-TEXT(dielectric loss)) and scattering matrix) and transmission line [All Sources(- All Sciences -)]	15
2.	(pub-date > 1959 and pub-date < 2002 and FULL-TEXT(dielectric loss)) and scattering matrix [All Sources(- All Sciences -)]	25
1.	pub-date > 1959 and pub-date < 2002 and FULL-TEXT(dielectric loss) [All Sources(- All Sciences -)]	5005

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

Fri, 13 May 2005, 6:21:41 PM EST

Search Query Display

B■

Search Session History

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- · Run a search

Re	cent Search Queries	Results
<u>#1</u>	(scattering matrix <and>transmission line<and>dielectric loss*) <and> (pyr >= 1951 <and> pyr <= 2001)</and></and></and></and>	101
<u>#2</u>	(model* <and>port<and>resistance<and>inductance<and>capacitance) <and> (pyr >= 1951 <and> pyr <= 2001)</and></and></and></and></and></and>	2112
<u>#3</u>	((scattering matrix <and>transmission line<and>dielectric loss*) <and>(pyr >= 1951 <and> pyr <= 2001)) <and> ((model*<and>port<and>resistance<and>inductance<and>capacitance) <and> (pyr >= 1951 <and> pyr <= 2001))</and></and></and></and></and></and></and></and></and></and></and>	24

Indexed by

Help Contact Us Privacy & Security IEEE.org

© Copyright 2005 IEEE – All Rights Reserved

CiteSeer Find: scattering matrix and dielectric and

Documents

Citations:

Searching for scattering matrix and dielectric and transmission line.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

7 documents found. Order: number of citations.

Extracting Time-of-Flight Delay from Scattering Parameter Based.. - Liao, Dai (1993) (Correct) (1 citation) the components of interconnect systems. A scattering matrix is employed to relate outgoing waves to speed of electromagnetic signals in the dielectric medium. This propagation delay, so called extracting the propagation delay of the lossy transmission line and developing an efficient network ftp.cse.ucsc.edu/pub/tr/ucsc-crl-93-35.ps.Z

SuperMix: A Flexible Software Library for - High-Frequency Circuit Simulation (1999) (Correct) of a linear circuit is specified by a scattering matrix, a noise wave correlation matrix, and an Film Fujitsu FHR02X Transformer Attenuator Dielectric Fujitsu FHX13X 180 #Hybrid Terminator Terminator Microstrip Kukje HEMT 90 #Hybrid Transmission Line Circulator Radial Stub Voltage Source Time www.submm.caltech.edu/papers/pdf/1999-03-STT-Ward.pdf

Inhomogenous Dielectric Media: Wave Propagation and .. - Baganas, Kehagias, .. (2001) (Correct) asymptotic matching [2, 8]the propagation/scattering matrix method [2] etc. In this work we propose an Kehagias and A. Charalambopoulos. Inhomogenous Dielectric Media: Wave Propagation and Dielectric used by finite difference methods [6]the Transmission Line method [7]the WKB method together with users.auth.gr/~kehagiat/kehPub/journal/2001Dinos.ps

Transient Analysis of Coupled Transmission Lines Using.. - Wang, Dai (1994) (Correct) congruence transformation, the computation of scattering matrix of the coupled transmission lines then including those of the thickness of the dielectric material, the distance which the coupled lines Transient Analysis of Coupled Transmission Lines Using Scattering Parameter Based ftp.cse.ucsc.edu/pub/tr/ucsc-crl-94-09.ps.Z

Theory of the Symmetrical Super-Condensed Node for the TLM.. - Vladica Trenkic (1995) (Correct) impedances is the complexity of deriving a scattering matrix using the standard approach of demanding results for a canonical resonator loaded with dielectric layers are presented for different grading characteristic impedance of interconnected transmission lines (also called link lines) is kept constant nmle.eee.nott.ac.uk/~vmt/preprints/sscn.ps.gz

Dispersion Analysis of TLM Symmetrical Super-Condensed Node - Trenkic Christopoulos (1994) (Correct) node spacing, I is identity matrix, S the TLM scattering matrix and P a connection matrix. The scattering comprising H z E x E y field components in a dielectric r =1)an analytical dispersion expression higher computational efficiency. Keywords-Transmission line matrix method I. Introduction The nmle.eee.nott.ac.uk/~vmt/preprints/disp.ps.gz

Equivalent Network Representation of Planar Gratings with.. - Elmar Griese (1995) (Correct) matrix and, introducing power waves, also a scattering matrix can be defined to describe the dynamical of Planar Gratings with Periodic Distribution of Dielectric Constant Elmar Griese Siemens Nixdorf which can be solved using conventional transmission line theory. Introduction Due to their field of www.c-lab.de/~aatools/publications/papers/1995/compumag-95 84.ps.gz

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

I	Subscribe (Full Service) Register (Limited Service, Free) Login Search: © The ACM Digital Library © The Guide
	USPTO +"scattering matrix",
	Feedback Report a problem Satisfaction survey
	ublished before March 2001 Found 14 of 113,190 erms used scattering matrix
t	Sort results by Save results to a Binder Try an Advanced Search Try this search in The ACM Guide Search Tips Open results in a new window
R	esults 1 - 14 of 14 Relevance scale Relevance scale
1	A transmission line simulator for GaAs integrated circuits J. S. Barkatullah, S. Chowdhury June 1991 Proceedings of the 28th conference on ACM/IEEE design automation Full text available: pdf(553.25 KB) Additional Information: full citation, references, index terms
2	Acoustic wavefield propagation using paraxial extrapolators R. W. Clayton, R. W. Graves January 1989 Proceedings of the third conference on Hypercube concurrent computers and applications - Volume 2
3	Additional Information: full citation, abstract, references, citings, index terms Modeling and simulation of high-frequency integrated circuits based on scattering parameters A. T. Yang, C. H. Chan, J. T. Yao, R. R. Daniels, J. P. Harrang June 1991 Proceedings of the 28th conference on ACM/IEEE design automation
	Full text available: pdf(622.93 KB) Additional Information: full citation, references, citings, index terms
4	Experimental comparison of memory management policies for NUMA multiprocessors Richard P. Larowe, Carla Schlatter Ellis November 1991 ACM Transactions on Computer Systems (TOCS), Volume 9 Issue 4
	Full text available: pdf(3.17 MB) Additional Information: full citation, references, citings, index terms
5	TICER: realizable reduction of extracted RC circuits Bernard N. Sheehan November 1999 Proceedings of the 1999 IEEE/ACM international conference on Computer-aided design
	Full text available: pdf(60.16 KB) Additional Information: full citation, abstract, references, citings, index terms
6	Visualization and interactive feature selection for unsupervised data Jennifer G. Dy, Carla E. Brodley August 2000 Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining
	Full text available: pdf(342,54 KB) Additional Information: full citation, references, citings, index terms
7	Capturing time-of-flight delay for transient analysis based on scattering parameter macromodel Haifang Liao, Wayne Wei-Ming Dai November 1994 Proceedings of the 1994 IEEE/ACM international conference on Computer-aided design
	Full text available: pdf(539_13_KB) Additional Information: full citation, abstract, references, citings, index terms
8	S-parameter based macro model of distributed-lumped networks using exponentially decayed polynomial function Haifang Liao, Wayne Wei-Ming Dai, Rui Wang, Fung-Yuel Chang July 1993 Proceedings of the 30th international conference on Design automation
	Full text available: pd((492.81 KB) Additional Information: full citation, references, citings, index terms

9	Spatial priority search: an access technique for scaleless maps					
	Bruno Becker, Hans-Werner Six, Peter Widmayer					
	April 1991 ACM SIGMOD Record , P	Proceedings of the 1991 ACM SIGMOD international conference or	n			
	Management of data, vo					
	Full text available: pdf(1.04 MB)	Additional Information: full citation, references, citings, index terms				
10	Optimal matrix algorithms on homo	geneous hypercubes				
	G. C. Fox, W. Furmanski, D. W. Walker					
	January 1989 Proceedings of the third conference on Hypercube concurrent computers and applications - Volume 2					
	Full text available: pdf(1.42 MB)	Additional Information: full citation, abstract, references, citings, index terms				
11		ation of coupled sets of ordinary differential equations on the				
	Caltech hypercube					
	P. G. Hipes, T. Mattson, Y-S. Wu, A. Ku	ppermann				
	- Volume 2	conference on Hypercube concurrent computers and application	S			
	Full text available: pdf(778.88 KB)	Additional Information: full citation, abstract, references, citings, index terms				
	, on the state of	, regional mornador. <u>Dimensional, secondos, teriorantos, samiga, mosa termo</u>				
12	3DSketch: modeling by digitizing wi	th a smart 3D pen				
	Song Han, Gérard Medioni					
	November 1997 Proceedings of the fifth ACM international conference on Multimedia					
	Full text available: pdf(1.10 MB)	Additional Information: full citation, references, citings, index terms				
13	Partitioning and roduction of PC inte	erconnect networks based on scattering parameter macromodels	_			
	Haifang Liao, Wayne Wei-Ming Dai	erconnect networks based on scattering parameter macromodels				
		5 IEEE/ACM international conference on Computer-aided design				
	Full AssA assallables	,				
	pdf(76.93 KB) Publisher	Additional Information: full citation, abstract, references, citings, index terms				
	Site					
14	A comparison of parallel programmi	ng paradigms and data distributions for a limited area numerical	_			
	weather forecast routine	ng paradigins and data distributions for a limited area numerical				
	Robert van Engelen, Lex Wolters July 1995 Proceedings of the 9th i	nternational conference on Supercomputing				
			•			
	Full text available: pdf(948.07 KB)	Additional Information: full citation, references, citings, index terms				
Re	esults 1 - 14 of 14					
	The ACM Portal is published	by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.	\$			
		f Usage Privacy Policy Code of Ethics Contact Us	*			
	-	Acrobat QuickTime Windows Media Player Real Player				
	Useful downloads: Adobe	Acrobat QuickTime Windows Media Player Real Player				